

Oil and Water Separators

Lee's Precast Concrete Oil & Water Separator offers environmental protection from surface water pollution, meeting the needs of a wide range of run off application.

- High performance on removal of fugitive oil from storm and wash-down
- Precision-Formed high quality reinforce concrete retention structure

Oil and Water Separator Product Catalog (Custom Built Separators Also Available):

300 Gallon Oil and Water Separator - 6" Wall
#

3400000000

Length
Width
Depth

67.25"
42.25"
62.5"

Hole Dimension
74" long, 50" wide, 66" deep

Inlet
49.5"

Outlet
49"

Weight
6,000 lbs.

Additional
Comes with Traffic Lid

Accessories

1000 Gallon Oil and Water Separator - 6" Wall
#

3500000000

Length
Width
Depth

9'
70"
62"

Hole Dimension
11' long, 7'6" wide, 5'6" deep

Inlet
52"

Outlet
47"

Weight
16,000 lbs.

Additional
Accessories

1000 Gallon Grease Interceptor - 6" Wall w/ 6" Traffic Lid
#

1100620000

Length
Width
Depth

9'
70"
62"

Hole Dimension
11' long, 7'6" wide, 5'6" deep

Inlet
52"

Outlet
47"

Weight
16,000 lbs.

Additional
Two Hole Lid

Accessories

1500 Gallon Grease Interceptor - 3-5/8" Wall w/ 4" Top & Bottom
#

1060200000

Length
Width
Depth

115"
79.25"
65.5"

Hole Dimension
9' long, 6' wide, 5'3" deep

Inlet
48"

Outlet
46"

Weight
12,500 lbs.

Additional
6" Traffic Lid with 1 Hole

6" Traffic Lid with 2 Holes

Accessories

2000 Gallon Grease Interceptor - 3-5/8" Wall w/ 4" Top & Bottom
#

1200200000

Length
Width
Depth

115"
79.25"
82"

Hole Dimension
9' long, 6' wide, 7'2" deep

Inlet
70.5"

Outlet
68.75"

Weight
12,500 lbs.

Additional
Accessories